



Day 3

Fri. May 20

## PS6 : Plenary Session 6

Room 1 — Large Hall 9:00-10:30

**Addiction and Suicide prevention**

Chair : Sachio Matsushita

(National Hospital Organization Kurihama Medical and Addiction Center)

Sulki Chung

(Chung-Ang University)

## PS6-1

Perceived social inequality and suicidal ideation: Moderating effect of alcohol use

Sulki Chung

(Chung-Ang University)

## PS6-2

Alcohol, Addiction and Suicide

Hae-Kook Lee

(Department of Psychiatry, The Catholic University of Korea)

## PS6-3

“SYMPOSIUM 3 Drugs and mental disorder: issues for diagnosis and treatment”  
Sex differences in risk factors for suicidality among Japanese substance use disorder patients: Association with age, types of abused substances, and depression

Toshihiko Matsumoto

(National Center of Neurology and Psychiatry)

## PS6-4

The biological aspects of suicidal behavior in addiction

Akitoyo Hishimoto

(Kobe University Graduate School of Medicine)

## WS3 : Workshop 3

Room 1 — Large Hall 10:30-12:30

**Suicide prevention in islands**

Chair : Tsuyoshi Kondo

(Dept. of Neuropsychiatry, Graduate School of Medicine, University of the Ryukyus)

## WS3-1

Suicide prevention by maintaining contact in Tahiti: results of the WHO START contact device and contact prevention by telephone and mediation body care project

Stéphane Amadeo(Centre Hospitalier de Polynésie française & Association SOS Suicide<sup>1)</sup>,  
Suicide Prevention Center of SOS Suicide association<sup>2)</sup>, Inserm unit U1178<sup>3)</sup>,  
Center for Studies on New Pacific (CNEP), University of New Caledonia<sup>4)</sup>)

WS3-2

Suicide Prevention in the Philippines

Dinah P Nadera

(Foundation for Advancing Wellness, Instruction and Talents, Inc. (Foundation AWIT))

WS3-3

Suicide Prevention Activities in the Ryukyu Islands

Osamu Tanaka

(Aomori Prefectural Mental Health and Welfare Center)

WS3-4

Suicide Prevention Strategies in Nagasaki Prefecture

Yuko Kusumoto

(Division of Neuropsychiatry, Nagasaki University Graduate School of Biomedical Sciences)

LS4 : Luncheon Seminar 4

Room 1 – Large Hall 12:40-13:30

Co-sponsor : GlaxoSmithKline

**Treatment of bipolar disorders from the perspective of QOL (quality of life) and suicide prevention**

Chair : Chiaki Kawanishi

(Department of Neuropsychiatry, Sapporo Medical University Graduate School of Medicine)

LS4

Yoshinori Cho

(Department of Psychiatry, Teikyo University Mizonokuchi Hospital)

WHO-IASP WS : WHO-IASP Workshop

Room 1 – Large Hall 14:00-16:00

Chair : Alexandra Fleischmann

(World Health Organization)

Ella Arensman

(International Association for Suicide Prevention)

WHO-IASP WS-1

Country needs and plans for the implementation of suicide prevention programmes and strategies

Alexandra Fleischmann

(World Health Organization)

Ella Arensman

(International Association for Suicide Prevention)



### WHO-IASP WS-2

A hypothetical schema of the suicide process with universal/selective/indicated prevention strategies

Hirofumi Oyama

(Aomori University of Health and Welfare)

### WHO-IASP WS-3

How do we utilize the WHO's first World Suicide Report?

Tadashi Takeshima

(Department of Health and Social Welfare for Disabled, Health and Welfare Bureau, Kawasaki City)

## PS7 : Plenary Session 7

Room 1 — Large Hall 16:00-18:00

### Suicide and media: is there only Werther effect?

Chair : Jane E Pirkis

(University of Melbourne)

Hirokazu Tachikawa

(Department of Psychiatry, Division of Clinical Medicine, Faculty of Medicine, University of Tsukuba)

#### PS7-1

Media campaigns for suicide prevention

Jane E Pirkis

(Centre for Mental Health, Melbourne School of Population and Global Health, University of Melbourne)

#### PS7-2

Papageno effect: its progress in suicide research

Thomas Niederkrotenthaler

(Medical University of Vienna, Center for Public Health, Institute of Social Medicine, Suicide Research Unit)

#### PS7-3

Scapegoating effect to suicide in Japan

Hirokazu Tachikawa

(Department of Psychiatry, Division of Clinical Medicine, Faculty of Medicine, University of Tsukuba)

#### PS7-4

Suicide in Several Media: Contributions of Film to the Understanding of Suicide in Japan, S Korea & USA

Steven Stack

(Wayne State University)

## JSITC : Joint Symposium with IT Companies

Room 2 — Mid-Sized Meeting Room I-AB 10:30-12:30

Chair : Atsuo Sekiyama

(Department of Preemptive Medical Pharmacology for Mind and Body, Graduate School of Pharmaceutical Science, Osaka University)

### JSITC-1

Development of voice pathophysiology analysis technology

Shunji Mitsuyoshi

(Verbal Analysis of Pathophysiology, Graduate School of Medicine, The University of Tokyo)

### JSITC-2

Medical evidence of voice pathophysiology analysis technology

Shinichi Tokuno

(Dept. of Verbal Analysis of Pathophysiology Graduate School of Medicine The University of Tokyo)

### JSITC-3

Development of the Mind Monitoring System (MIMOSYS) which can be able to monitor mental health status using call voice with a smartphone

Yasuhiro Omiya

(PST Corporation, Inc. Research and Product Development Department)

### JSITC-4

Verbal analysis of Pathophysiology in Stress Resilience Program

Kenji Miyazaki

(Mitsui Knowledge Industry CO., LTD. Cloud Service Engineering Division)

### JSITC-5

Automotive application of verbal analysis

Toshimi Okazaki

(Mazda Motor Corporation, Technical Research Center, Advanced Human Vehicle Research Field)

Sponsored by : The University of Tokyo, PST Corporation, Inc., Mitsui Knowledge Industry Co.,LTD., and Mazda Motor Corporation

## LS5 : Luncheon Seminar 5

Room 2 — Mid-Sized Meeting Room I-AB 12:40-13:30

Co-sponsor : NOVARTIS

### The Relationship Between Dementia Caregiver's Burden and Depression

Chair : Masatoshi Takeda

(Aino University)

### LS5

Manabu Ikeda

(Department of Neuropsychiatry, Faculty of Life Sciences, Kumamoto University)



## WS4 : Workshop 4

Room 2 — Mid-Sized Meeting Room I-AB 14:00-16:00

### Postvention

Chair : Masaru Horikoshi

(National Center of Neurology and Psychiatry(NCNP), National Center for Cognitive Behavior Therapy and Research)

#### WS4-1

Care for Survivors as Post-Vention

Aiko Suzuki

(Suicide Survivors Support)

#### WS4-2

Care for Survivors as Post-Vention

Tadayuki Fujii

(Suicide Survivors Support)

#### WS4-3

Suicide Prevention Activities in the Ryukyu Islands

Kenji Kawano

(Ritsumeikan University)

#### WS4-4

Suicide bereavement support: A call for collaboration from the IASP Special Interest Group (SIG) on Suicide Bereavement and Postvention

Karl Andriessen

(UNSW School of Psychiatry)

## PS8 : Plenary Session 8

Room 2 — Mid-Sized Meeting Room I-AB 16:30-18:00

### Trauma and Suicide Prevention

Chair : Hyun Soo Kim

(Department of Psychiatry, Seonam University College of Medicine)

Makiko Kaga

(Tokyo Metropolitan Tobu Ryoiku Center)

#### PS8-1

Trauma and Suicide Prevention

Jong-Woo Paik

(Kyung Hee University/Korea Psychological Autopsy Center)

#### PS8-2

Plenary Session 11 Trauma and Suicide Prevention : Development of Korean Psychological Autopsy Checklist for Adolesnet (K-PAC-A)

Soo Young Bhang

(Eulji University Department of Psychiatry)

PS8-3

Treating Traumatized Children: Over the mental health of children after the Great East Japan Earthquake Disaster

Junko Yagi

(Iwate Child Care Center, Iwate Medical University)

PS8-4

A long-term support system for Mental health in Iwate Prefecture since the Great East Japan Earthquake and Tsunami

Kotaro Otsuka

(Department of Neuropsychiatry, Iwate Medical University)

## SY10 : Symposium 10

Room 4 — Small Hall 10:30-12:00

### Protecting our youth from suicide

Organizer : Hirokazu Tachikawa

(University of Tsukuba)

Chair : Hirokazu Tachikawa

(University of Tsukuba)

Paul Yip

(The University of Hong Kong)

SY10-1

Epidemiology and nature of self-harm and Suicidal Behavior in children and adolescents

Paul Yip

(The University of Hong Kong)

SY10-2

A suicide prevention education programs in junior high school in Japan

Kenji Kawano

(Ritsumeikan University)

SY10-3

Challenges and opportunities in implementation of SEYLE protocol in youth suicide prevention

Vita Poštuvan

(University of Primorska)

SY10-4

Primary and secondary prevention of suicide in college and university students

Hirokazu Tachikawa<sup>1)</sup>, Yoshitaka Kawashima<sup>2)</sup>, Mitsuhiko Yamada<sup>2)</sup>

(University of Tsukuba<sup>1)</sup>, National Center of Neurology and Psychiatry<sup>2)</sup>)



## SY11 : Symposium 11

Room 4 — Small Hall 14:00-15:30

### Suicide prevention programs for emergency and protective services employees

Organizer & Chair : Katrina Witt  
(Deakin University)

SY11-1

Suicide prevention programs for emergency and protective services employees

Katrina Witt  
(Centre for Population Health Research, Deakin University)

SY11-2

Multi-year comprehensive and sustained suicide prevention program in the fire service

Sally Spencer-Thomas  
(Carson J. Spencer Foundation)

SY11-3

Suicide prevention programs for emergency and protective services employees

Amanda Allisey  
(Deakin Business School, Deakin University, Centre for Population Health Research, Deakin University)

SY11-4

Effects of a Comprehensive Police Suicide Prevention Program and Implications for Suicide Prevention in First Responders

Brian Mishara  
(Université du Québec à Montréal)

## O9 : Oral 9

Room 3 — Mid-Sized Meeting Room I-C 10:30-11:15

### Hospital

Chair : Masaru Tateno  
(Tokiwa Child Development Center, Tokiwa Hospital)

O9-1

Attitudes and behaviour of healthcare providers at a general hospital towards suicide and self-harm

Lakshitha Iroshan Ranasinghe  
(Ministry of Health of Sri Lanka)

O9-2

Suicide Information Database- Cymru

Ann John  
(Swansea University Medical School)

O9-3

## Suicidality among Hong Kong Nurses: Prevalence and Correlates

Teris Cheung

(School of Nursing, Hong Kong Polytechnic University<sup>1</sup>),  
Centre for Suicide Research and Prevention, University of Hong Kong<sup>2</sup>)

## O10 : Oral 10

Room 3 — Mid-Sized Meeting Room I-C 11:15-12:30

### Intervention

Chair : Sylvie Lapierre

(Universite du Quebec a Trois-Rivieres)

O10-1

Differences in the effectiveness of psychosocial interventions for suicidal ideation and behaviour in women and men: A systematic review of randomised controlled trials

Karolina Krysinska

(School of Psychiatry, University of New South Wales)

O10-2

Does psychosocial therapy provided to persons after deliberate self-harm improve social outcomes? - a register-based, nationwide multicentre study using propensity score matching

Annette Erlangsen

(Research Unit, Mental Health Centre Copenhagen<sup>1</sup>),  
Department of Mental Health, Johns Hopkins Bloomberg School of Public Health<sup>2</sup>)

O10-3

Withdrawn

### Crisis intervention

Chair : Sylvie Lapierre

(Universite du Quebec a Trois-Rivieres)

O10-4

Crisis Counseling and Suicide in China Through the Eyes of University Counselors

Erin Ambrose

(William Jessup University)

### Elderly Generation

Chair : Sylvie Lapierre

(Universite du Quebec a Trois-Rivieres)

O10-5

Suicidal Ideation among Rural Chinese Elderly

Keyi Hu

(Zhejiang University)





## O11 : Oral 11

Room 3 — Mid-Sized Meeting Room I-C 14:00-15:15

### Means of suicide

Chair : Vita Poštuvan

(Slovene Centre for Suicide Research, Andrej Marusic Institute, University of Primorska)

#### O11-1

Pesticides and hanging were the predominant means of suicide in Bangladesh

Islam Zahidul

(Society for Voluntary Activities-SOVA)

#### O11-2

European review; availability of mild analgesics (paracetamol) sold as over-the-counter drugs in pharmacies and retail in Europe

Britt Morthorst

(Faculty of Health Science University of Copenhagen<sup>1</sup>), Mental Health Center Copenhagen<sup>2</sup>)

#### O11-3

Suicide prevention through means restriction: impact of the 2008 pesticide restrictions on suicide in Sri Lanka

Duleeka Knipe

(School of Social and Community Medicine, University of Bristol<sup>1</sup>,  
South Asian Clinical Toxicology Research Collaboration (SACTRC), Faculty of Medicine, University of Peradeniya<sup>2</sup>)

#### O11-4

Railway suicide clusters: how common are they and what predicts them?

Lay San Too

(Melbourne School of Population and Global Health, The University of Melbourne)

#### O11-5

Suicidal drug overdose in patients with stroke: A population-based cohort study

Chun-Hung Chang

(China Medical University)

## O12 : Oral 12

Room 3 — Mid-Sized Meeting Room I-C 15:15-15:45

### Protective Factor/Resilience

Chair : Britt Reuter Morthorst

(Faculty of Health Science University of Copenhagen)

#### O12-1

Responses to suicidal intrusions in recurrently suicidal patients

Bergljot Gjelsvik

(University of Oxford Department of Psychiatry (BG)<sup>1</sup>, University of Oslo Department of Psychology (BG)<sup>2</sup>)

O12-2

## RISK TAKING PARTICIPATION AS MEDIATOR ON THE RELATIONSHIP BETWEEN HOPE AND SUICIDAL BEHAVIOR

Mansor Abu Talib

(Universiti Putra Malaysia (UPM))

## P3 : Poster 3

Poster Exhibition — Mid-Sized Meeting Room II -ABC 13:30 - 14:00

### Policy

P3-1

#### Suicide Prevention Policy in Japan

Karin Moriyama

(Nanzan University Department of Policy Studies<sup>1)</sup>, Nanzan University Institute for Social Ethics<sup>2)</sup>)

### Postvention

P3-2

#### Recent changes in support systems for the suicide bereaved -utilizing the videos produced by the American Foundation for Suicide Prevention translated to Japanese-

Junichi Yoshino

(Sapporo Medical University School of Health Sciences<sup>1)</sup>, Japan Lutheran College; TELL Counseling<sup>2)</sup>, National Center for Child Health and Development<sup>3)</sup>, National Center of Neurology and Psychiatry National Institute of Mental Health Center for Suicide Prevention<sup>4)</sup>, Gifu Prefectural General Medical Center<sup>5)</sup>, Hokkaido Mental Health Welfare Center<sup>6)</sup>, Tokyo Health Care University<sup>7)</sup>, Fraser Health Authority Surrey Memorial Hospital<sup>8)</sup>)

P3-3

#### The support for nurses in Japan who have experienced the suicide of a patient in a psychiatric hospital and the effects of such experience

Tatsuya Koyama

(Tokyo Women's Medical University)

### Protective Factor/Resilience

P3-4

#### Suicide risk across income levels: using 1 million retrospective cohort data collected between 2003 and 2013 in South Korea

Sang-Uk Lee

(Department of Mental Health Research, Seoul National Hospital<sup>1)</sup>, Department of Preventive Medicine, School of Medicine, Kyung Hee University<sup>2)</sup>)

P3-5

#### The relations between social capital and suicidal ideation in Japan

Miyuki Aiba

(Faculty of Human Sciences, Toyo Gakuen University)



P3-6

Help-seeking intentions for early signs of mental illness: comparisons across four symptoms

Machi Suka

(Department of Public Health and Environmental Medicine, The Jikei University School of Medicine)

P3-7

Municipal level social capital and suicide mortality among the elderly in Japan

Kana Inoue

(Department of Psychiatry, Jichi Medical University)

## Psychological Autopsy

P3-8

Epidemiological study of successful repeated suicide

Prapat Ukranan

(Khon Kaen Rajanagarindra Psychiatric Hospital)

P3-9

Risk factors of female suicides: A case-control psychological autopsy study in Japan

Manami Kodaka

(Center for Suicide Prevention, National Institute of Mental Health, National Center of Neurology and Psychiatry)

## School

P3-10

A study on the suicide-related factors among students in South Korea

Ah Reum Kim

(Suicide and School Mental Health Institute, Hallym University)

P3-11

Psychosocial Characteristics of Completed Suicide Among Child and Adolescents in South Korea : Analyzing Teachers' Reports for Suicidal Death of the Students

Han Nah Cho

(Suicide and School Mental Health Institute, Hallym University)

## Self-help

P3-12

Suicide Prevention Aspects of Performance Activities by People with Mental Illness

Hiroshi Sugimoto

(Niigata University of Health and Welfare Faculty of Health Sciences)

## Workplace

P3-13

Mental health and prevention of suicide in Japanese workplaces based on a study of job stress and suicide ideation

Yu Sakagami

(Kyoto University, The International Center)

P3-14

A study on the construction of flight nurse support systems

Momoko Buyo

(School of Health and Nursing Science, Wakayama Medical University)

P3-15

Suicide ideation among psychiatric trainees in Japan

Masaru Tateno

(Tokiwa Child Development Center, Tokiwa Hospital<sup>1)</sup>,  
Department of Neuropsychiatry, Sapporo Medical University, School of Medicine<sup>2)</sup>)

## Youth Generation

P3-16

Understanding Suicide Clusters through Exploring Self Harm behaviours (CHERISH)

Ann John

(Swansea University Medical School)

P3-17

Responding to adolescent suicides in hasty generational and cultural transitions; "I think it is human tendency to protect yourself, preserve yourself"

Sonam Pelden

(Curtin University)

P3-18

Universal suicide prevention among young people: An evaluation of the safeTALK program in Australian high schools

Jo Robinson

(Orygen, the National Centre of Excellence for Youth Mental Health)

P3-19

Development and psychometric properties of the Suicidality of Adolescent Screening Scale(SASS)using Multidimensional Item Response Theory

Supattra Sukhawaha

(Prasimahabodi Psychiatric Hospital)

P3-20

Characteristics and risk factors of suicide among college students in Japan

Chiyoko Uchida

(Fukushima University, Faculty of Human Development and Culture)

P3-21

Suicidal Prevention Campaign for Korean Adolescents: The Young Health Program

Jun-Won Hwang

(Kangwon National University School of Medicine<sup>1)</sup>, Korean Association for Suicide Prevention<sup>2)</sup>)

P3-22

Attempted Suicide Triggers in Thai Adolescents Perspectives

Sukhawaha Supattra

(Prasimahabodi Psychiatric Hospital)



P3-23

A Study on the Effect of Adolescent`s Academic Stress on Suicidal Ideation : Moderating Effect of Perceived burdensomeness and Thwarted belongingness

Yejin Seok

(Korea Suicide Prevention Center)

P3-24

IPC-Study 3: The Effectiveness of Interpersonal Counseling for Impulsivity in Japanese Undergraduates: A near-infrared spectroscopy study

Emi Tsujimoto

(Department of Psychological Science, Graduate School of Humanities, Kwansai Gakuin University)

P3-25

Relationships between School violence and Depressive symptom among multicultural families' offspring in South Korea

Soo-Young Bhang

(Department of Psychiatry, Eulji University School of Medicine, Eulji General Hospital)

P3-26

Characteristics of Young Suicide Attempters Admitted to an Emergency Department in Japan

Tsubasa Ito

(Yokohama City University Medical Center<sup>1)</sup>, Department of Psychiatry, Yokohama City University School of Medicine<sup>2)</sup>)

P3-27

Prevalence of suicidal behaviors among adolescence and young adults on a health claim database in Japan

Naohiro Yonemoto

(Department of Neuropsychopharmacology, National Center of Neurology and Psychiatry)

P3-28

IPC-Study 1: The Effectiveness of Interpersonal Counseling for Depression in Japanese Undergraduates

Reiko Taketani

(Department of Psychological Science, Graduate School of Humanities, Kwansai Gakuin University)

P3-29

Risk of developing suicidal drug overdose following depressive disorders among younger patients: A population-based cohort study

Chun-Hung Chang

(China Medical University)

P3-30

IPC-Study 2: The Effectiveness of Interpersonal Counseling for Stress Coping in Japanese Undergraduates

Ami Yamamoto

(Department of Psychological Science, Graduate School of Humanities, Kwansai Gakuin University)